# MATERIAL SAFETY DATA SHEET

# **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

Company: AccuStandard, Inc.

Date MSDS Printed: 9/12/2008

Propagation Date: 0/12/2008

125 Market Street Preparation Date: 9/12/2008 New Haven, CT 06513 Information Phone Number:

Information Phone Number: 203-786-5290 Emergency Phone Number: 203-786-5290

Hours: Mon. to Fri. 8am-5pm

Catalog Number: **C-CS-06** 

Product Name: PCB Congener Mix #6

Synonyms: N/A

Formula: N/A Molecular Weight: N/A

# SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

			ACGIH-TLV (mg/m3) OSHA-PEL (			L (mg/m3)
Component(s) (19)	CAS#	Appr. %	TWA	STEL skin	TWA	STEL skin
3,3'-Dichlorobiphenyl	2050-67-1	0.001				
2,3,4-Trichlorobiphenyl	55702-46-0	0.001	1		1	2
3,4,5-Trichlorobiphenyl	53555-66-1	0.001				
2,2',4,6-Tetrachlorobiphenyl	62796-65-0	0.001				
2,3,3',5-Tetrachlorobiphenyl	70424-67-8	0.001				
2,3,4,5-Tetrachlorobiphenyl	33284-53-6	0.001				
2,3,5,6-Tetrachlorobiphenyl	33284-54-7	0.001				
2,2',3,4,5-Pentachlorobiphenyl	55312-69-1	0.001				
2,2',4,5,6'-Pentachlorobiphenyl	68194-06-9	0.001				
2,3,3',5',6-Pentachlorobiphenyl	68194-10-5	0.001				
3,3',4,4',5-Pentachlorobiphenyl	57465-28-8	0.001				
3,3',4,5,5'-Pentachlorobiphenyl	39635-33-1	0.001				
2,2',3,3',5,5'-Hexachlorobiphenyl	35694-04-3	0.001				
2,2',3,4,4',6-Hexachlorobiphenyl	56030-56-9	0.001				
2,2',3,4,6,6'-Hexachlorobiphenyl	74472-40-5	0.001				
2,3,3',4,5',6-Hexachlorobiphenyl	74474-43-8	0.001				
3,3',4,4',5,5'-Hexachlorobiphenyl	32774-16-6	0.001				
2,2',3,4,4',5,6-Heptachlorobiphenyl	74472-47-2	0.001				
Isooctane	540-84-1	99.982				

# **SECTION 3 - HAZARDS IDENTIFICATION**

#### Health and Environmental Hazards/Symptoms of Exposure:

Inhalation may cause dizziness, nausea, lack of coordination, narcosis, unconsciousness. Ingestion may cause diarrhea, slight central nervous system depression, difficulty with breathing and fatigue.

Isooctane has produced kidney damage in rats in a subchronic oral laboratory study.

### **Potential Health Effects:**

Irritating to eyes.

Irritating to skin.

May be harmful if absorbed through the skin.

Irritating to mucous membrane and upper respiratory system.

Page 1

Preparation Date: 9/12/2008

May be harmful if inhaled.

Harmful if swallowed.

#### **Routes of Entry:**

Inhalation, ingestion or skin contact.

# Carcinogenicity:

Notification of carcinogenic ingredients in quantity less than 0.1% is not required under Federal Hazard Communication Law.

Contains one or more components that are classified (ACGIH, IARC, NTP, OSHA) as a suspected cancer hazard in quantities less than 0.1%.

#### **SECTION 4 - FIRST AID MEASURES**

#### **Emergency First Aid:**

Get medical assistance for all cases of overexposure.

Skin contact: Wash thoroughly with soap and water. Get medical attention if irritation develops or persists.

Eye contact: Immediately flush with plenty of water. After initial flushing, remove and contact lenses and continue flushing for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

Ingestion: Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

# **SECTION 5 - FIRE FIGHTING MEASURES**

#### Flammable Properties:

Flash Point: 10.4 °F (-12 °C) (cc) HMIS® III 2 3 0
Flammable Limits LEL (%): 1.00

Flammable Limits LEL (%): 1.00
Flammable Limits UEL (%): 6.00

NFPA

2
3
0

Autoignition Temperature: 396 °C

Dangerous fire hazard.

Containers can build up pressure if exposed to heat.

Vapors can travel to a source of ignition and flash back.

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

#### **Extinguishing Media:**

Use alcohol foam, carbon dioxide, dry chemical, or water spray when fighting fires involving this material.

#### **Fire Fighting Procedures:**

As in any fire, wear self-contained breathing apparatus pressure demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

# MATERIAL SAFETY DATA SHEET

#### **Spill Response:**

Wear suitable protective equipment listed under Exposure Controls / Personal Protection. Eliminate any ignition sources until the area is determined to be free from explosion or fire hazards. Contain the release and eliminate its source, if this can be done without risk. Dispose as hazardous waste. Comply with Federal, State and local regulations.

#### **SECTION 7 - HANDLING AND STORAGE**

Store in a tighly closed container.

Store in a cool area away from ignition sources and oxidizers.

Electrically ground all equipment when handling this product.

Do not breathe vapor.

Use with adequate ventilation.

Do not get in eyes, on skin or clothing.

Avoid prolonged or repeated exposure.

This product should only by used by persons trained in the safe handling of hazardous chemicals.

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Engineering Controls and Personal Protection Equipment (PPE):**

Respiratory Protection: If workplace exposure limit(s) of product or any component is exceeded (see TLV/PEL), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (see your safety equipment supplier). Engineering and/or administrative controls should be implemented to reduce exposure.

NIOSH/MSHA respirators (negative pressure type) under specified conditions (see your safety equipment supplier). Engineering and/or administrative controls should be implemented to reduce exposure.
and/of administrative controls should be implemented to reduce exposure.
Material must be handled or transferred in an approved fume hood or with equivalent ventilation.

Protective	aloves	must	he	worn	tο	nrevent	+ c1	z in	cont	tact	t
TIOLCCLIVE	gioves	must	$\sigma$	WOIII	ω	preven	ردا	7111	COII	laci	ι.

(Nitrile or equivalent)

Safety glasses with side shields must be worn at all times.

# **General Hygiene Considerations:**

Wash thoroughly after handling. Do not take internally. Eye wash and safety equipment should be readily available.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Clear liquid

Odor: Mild odor

pH: N/A

Vapor Pressure: 41 mmHg (21 °C) Vapor Density (Air = 1): 3.9 g/l

Boiling Point: 99.2 °C Melting Point: -107.3 °C

Catalog Number: C-CS-06

Preparation Date: 9/12/2008

# MATERIAL SAFETY DATA SHEET

Solubility in Water (%): Insoluble Specific Gravity ( $H_2O = 1$ ): 0.691 g/cm3 Flash Point: 10.4 °F (-12 °C) (cc) Explosion Limits (%): 1.00 to 6.00 Autoignition Temperature: 396 °C

Percent Volatile: 99+

Evaporation Rate (BuAc = 1): >1

Molecular Weight: N/A Molecular Formula: N/A

#### **SECTION 10 - STABILITY AND REACTIVITY**

Stability: Stable

Conditions To Avoid: Heat; Contact with ignition sources

Materials To Avoid: Oxidizers

Hazardous Decomposition: Carbon oxides Hazardous Polymerization: Will not occur

#### **SECTION 11 - TOXICOLOGICAL INFORMATION**

See section 3 for specific toxicological information for the ingredients of this product.

#### **SECTION 12 - ECOLOGICAL INFORMATION**

By complying with sections 6 and 7 there will be no release to the environment.

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

Recycle or incinerate at any EPA approved facility or dispose in compliance with Federal, State and local regulations. Empty containers must be triple-rinsed prior to disposal.

# **SECTION 14 - TRANSPORT INFORMATION**

DOT UN Number: UN1262 Shipping Class: 3 Packing Group: II FLAMMABLE

#### **SECTION 15 - REGULATORY INFORMATION**

In addition to Federal and state regulations, local regulations may apply. Check with your local regulatory authorities.

All components are listed on the TSCA Inventory. For laboratory, reasearch and development use only. Not for manufacturing or commercial purposes.

WARNING: This product contains chemical(s) known to the state of California to cause cancer and to cause birth defects or other reproductive harm.

#### **SECTION 16 - OTHER INFORMATION**

This document has been designed to meet the requirements of OSHA, ANSI and CHIPs regulations.

The statements contained herein are offered for informational purposes only and are based on technical data that we believe to be accurate. It is intended for use only by persons having the necessary technical skill and at their own discretion and risk. Since conditions and manner of use are outside our control, we make

NO WARRANTY, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.

Page 4

Alteration of any information contained herein without written permission from AccuStandard strictly prohibited. Preparation Date: 9/12/2008

# $M \ A \ T \ E \ R \ I \ A \ L \qquad S \ A \ F \ E \ T \ Y \qquad D \ A \ T \ A \qquad S \ H \ E \ E \ T$

Legend : N/A = Not Available ND = Not Determined NR = Not Regulated\* \* \* End of Document \* \* \*

Page 5
Preparation Date: 9/12/2008